

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013 Filing Confirmation Number: 0006084739

Filing Deadline: January 15, 2014 FRN: 0018458091

Filing Date: 01/06/2014 04:55 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Total Call Mobile, Inc. Brand Names: Total Call Mobile, Inc.

PO Box:

Street Address: 1411 W. 190th Street, Suite 700

City: Gardena
State: CA
Zip Code: 90248

Contact Name: Amy Inagaki Contact Phone: (310) 818-4300 Contact Fax: (310) 818-4310

Contact Email: regulatory@totalcallmobile.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: http://www.totalcallmobile.com/phones.aspx

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: N/A

Methodology for Functionality Levels

Basic -- basic voice/text messages Feature -- additional feature (camera, MMS) Smart Phone -- data enable apps

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 25

Air Interface		atible	-	ble Only	Hane	mpliant dsets Percent	Excluded Handsets Number	Total by Air Interface
CDMA	21	84%	2	8%	2	8%		25

Handset 1: HTC 6850 PRO

Handset Maker

HTC

Handset Model Name	FCC ID	
6850 PRO	NM8RAPH800	

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SmartPhone

Remarks

Handset 2: LG LG 101

Handset Maker

LG

Handset Model Name FCC ID

LG 101 BEJVM101

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 3: LG LG 260 Rumor

Handset Maker

LG

Handset Model Name FCC ID

LG 260 Rumor BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 4: LG LN510

Handset Maker

LG

Handset Model Name FCC ID

LN510 BEJLN510

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 5: LG LS670

Handset Maker

LG

Handset Model Name FCC ID

LS670 BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 6: Motorola MB612 XPRT

Handset Maker

Motorola

Handset Model Name FCC ID

MB612 XPRT IHDP56LK1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 7: Palm Palm Pixi

Handset Maker

Palm

Handset Model Name FCC ID

Palm Pixi O8F-PIXE

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 8: Samsung A660

Handset Maker

Samsung

Handset Model Name FCC ID

A660 A3LSPHA660

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 9: Samsung M300

Handset Maker

Samsung

Handset Model Name FCC ID

M300 A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/08 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 10: Samsung M320

Handset Maker

Samsung

Handset Model Name FCC ID

M320 A3LSPHM320

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 11: Samsung M340

Handset Maker

Samsung

Handset Model Name FCC ID

M340 A3LSPHM340

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 12: Samsung M350

Handset Maker

Samsung

Handset Model Name FCC ID

M350 A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 13: Samsung M360

Handset Maker

Samsung

Handset Model Name FCC ID

M360 a3LSPHM360

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 14: Samsung M540

Handset Maker

Samsung

Handset Model Name FCC ID

M540 A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 15: Samsung M800

Handset Maker

Samsung

Handset Model Name FCC ID

M800 A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 16: Samsung M810

Handset Maker

Samsung

Handset Model Name FCC ID

M810 A3LSPHM810

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 17: Samsung M900

Handset Maker

Samsung

Handset Model Name FCC ID

M900 A3LSPHM900

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 18: Sanyo 2700

Handset Maker

Sanyo

Handset Model Name FCC ID

2700 V65SCP-27H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 19: Sanyo 3800

Handset Maker

Sanyo

Handset Model Name FCC ID

3800 AEZSCP-3800

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 20: Sanyo 8600

Handset Maker

Sanyo

Handset Model Name FCC ID

8600 V65SCP-8600

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 21: Sanyo Echo / SCP-9300

Handset Maker

Sanyo

Handset Model Name FCC ID

Echo / SCP-9300 V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 22: Sanyo Pro 700

Handset Maker

Sanyo

Handset Model Name FCC ID

Pro 700 AEZSCP-PRO700

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 23: Sanyo SCP-3100

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3100 AEZSCP-31H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 24: Sanyo SCP-3200

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3200 AEZSCP-32H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Feature

Remarks

Handset 25: Sanyo SCP-6600

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-6600 AEZSCP-66H

Air Interfaces/Frequency Bands 850 MHz CDMA 1900 MHz CDMA **Dates** This handset model was offered from: 01/13 to 12/13 **Ratings** M-Rating: T-Rating: Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? **Functionality Level** Feature **Remarks** Certification This Report has been certified by: Hideki Kato COO 01/06/2014 04:55 PM